

Keri Systems, Inc. Product Warranty

Reference Document

All Keri Systems, Inc. products are warranted to the original Buyer to be free from defects in goods and workmanship for the time period identified in the Table on pages two through four. This time period begins from the date of shipment from Keri Systems, Inc. This Limited Warranty does not apply if accident, abuse, misuse, misapplication, modification, or negligence has damaged the product.

NO WARRANTIES, EXPRESS OR IMPLIED, EXTEND BEYOND THE TERMS OF THIS CONTRACT. THE GOODS SOLD ARE WITHOUT ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL KERI SYSTEMS, INC. BE RESPONSIBLE OR LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES INCURRED BY THE BUYER OR ANY THIRD PARTY ARISING OUT OF THE USE OR INABILITY TO USE THE PRODUCT, OR RESULTING FROM ANY BREACH OF WARRANTY, OR UNDER ANY OTHER LEGAL THEORY, EVEN IF KERI SYSTEMS, INC. HAS BEEN ADVISED OR MAY OTHERWISE HAVE REASON TO KNOW THE POSSIBILITIES OF SUCH DAMAGES.

Keri Systems, Inc.'s maximum liability under any circumstance shall be limited to the actual price paid for the product. Some States do not allow the exclusion or limitation of implied warranties, or liability for incidental or consequential damages. This warranty gives you specific legal rights; you may have other rights that vary from state to state. No Keri Systems, Inc. agent, employee, or representative is authorized to make any modification, extension, or addition to this warranty.

No affirmation or representation concerning the goods sold under this contract shall be valid unless stated in Keri Systems, Inc. current sales literature or expressed in writing in this contract. Additionally, Keri Systems, Inc. reserves the right to improve, modify, or enhance the specifications or composition of the product, without further notice, if it is necessary or advisable in the judgment of Keri Systems, Inc.

Goods returned for repair, whether under warranty or not, should be returned freight prepaid and must be assigned a Return Material Authorization (RMA) number by Keri Systems, Inc. Goods returned without an RMA number will be refused. The customer is to provide a description of the specific problem, the goods to be returned, including serial numbers, card ID numbers, and correct facility codes, if applicable. If exact duplicates of returned cards or tags are requested, the customer must provide Keri Systems, Inc. with the ID numbers needed. For returned goods not covered by the warranty, a quote for the repairs will be issued. Goods returned without a pre-approved RMA number are subject to a \$50 handling fee per shipment.

If out of warranty, only goods that can be repaired and rotated into the factory refurbished stock will be repaired. If the unit cannot be repaired, the customer will be required to purchase a new unit. Keri Systems, Inc. reserves the right to determine when goods are beyond economical repair. Goods beyond economical repair shall be returned to the Buyer. Goods left over thirty (30) days without a repair authorization and a purchase order will be returned with evaluation charges and shipping costs applied.

		<u>Warranty</u>	
		(in months)	
<u>NXT NETXTREME CONTROLLER PLATFORM</u>			
NXT-2D	2 Door <i>Xtreme</i> Controller	24	
NXT-4D	4 Door <i>Xtreme</i> Controller	24	
NXT-4X4	4 X 4 I/O - Optional Local Door Control Module	24	
NXT-KIT2	NXT Two Door Distributor Kit	By Content	
NXT-KIT4	NXT Four Door Distributor Kit	By Content	
<u>NXT SERIES PROXIMITY READERS</u>			
NXT-1R	EuroMount Proximity Reader	Lifetime	
NXT-3R	Door Frame Proximity Reader	Lifetime	
NXT-5R	Wall Switch Proximity Reader	Lifetime	
NXT-RM3	Reader Interface Module (for Wiegand & MS Compatibility)	24	
<u>NXT PROXIMITY CARDS & TAGS</u>			
NXT-C	Clamshell Proximity Cards	Lifetime	
NXT-I	ISO Proximity Cards (without Mag Stripe)	12	
NXT-S	ISO Proximity Cards (with Mag Stripe)	12	
NXT-K	Proximity Key Tag	Lifetime	
<u>PXL-500 TIGER II CONTROLLER PLATFORM</u>			
PXL-500P	<i>Tiger II</i> Controller	24	
PXL-500W	<i>Tiger II</i> Controller	24	
SB-593	<i>Satellite II</i> Expansion Board	24	
TDK-500	Two Door Kit	By Content	
CU-500	Chip Upgrade	24	
<u>CONNECTIVITY PRODUCTS</u>			
LAN-520	LAN Port	12	
NC-485	485-Network Converter	12	
KWX-9A	Wireless Transceiver, 915MHz	12	
ANT-91	Antenna, Remote Wiring	12	
ANT-94	Antenna, Omni-Directional Extended Range	12	
ANT-9Y	Antenna, Unidirectional Extended Range (Yagi)	12	
KWX-24	Wireless Transceiver, 2.4GHz	12	
ANT-241	Antenna, Remote Wiring	12	
ANT-244	Antenna, Omni-Directional Extended Range	12	
ANT-24Y	Antenna, Unidirectional Extended Range	12	
<u>SOFTWARE & ACCESSORIES</u>			
DOORS	Software on CD Rom (Includes manual on CD) <u>when ordered w/system</u>	N/A	
Manual	Hard Copy of <i>DOORS</i> Manual	N/A	
DB-300	<i>DOORS</i> Badging Software	N/A	
Import/Export	License fee for Import/Export of cardholder databases	N/A	
<u>MS SERIES PROXIMITY READERS</u>			
MS-3000X	<i>MicroStar</i> TM Reader	Lifetime	
MS-4000X	<i>ShootingStar</i> TM Reader	Lifetime	
MS-5000BX	<i>MiniStar</i> TM Reader - Black	Lifetime	
MS-5000WX	<i>MiniStar</i> TM Reader - White	Lifetime	
MS-7000BX	<i>SuperStar</i> TM Reader	Lifetime	
<u>INTELLIPROX 2000</u>			
IP-2003X	<i>MicroStar</i> TM	Lifetime/36	(Reader/SM)
IP-2005BX	<i>MiniStar</i> TM - Black	Lifetime/36	(Reader/SM)
SM-2000X	Smart Module	36	
HPP-22	Hand Held Programmer	12	
KDP-552	Cable (SM-2000 / PC)	12	
D-Lite	D-Lite Software CD	N/A	

		<u>Warranty</u>	
		(in months)	
<u>PROXIMITY CARDS & TAGS (For PXL-500/510, PXL-250 and IP-2000)</u>			
KC-10X	Standard Light Proximity Card	Lifetime	
MT-10XP	Multi-Tech Card (without Mag Stripe)	12	
MT-10XM	Multi-Tech Card (with Mag Stripe)	12	
PKT-10X	Proximity Key Tag	Lifetime	
KC-26X	IntelliProx Light Proximity Card	Lifetime	
MT-26XP	IntelliProx Multi Technology Proximity Card	12	
MT-26XM	IntelliProx Multi Technology Proximity Card	12	
PKT-26X	IntelliProx Proximity Key Tag	Lifetime	
PVC-9	PVC Overlay	12	
<u>PYRAMID SERIES PROXIMITY READERS</u>			
P-300	Cascade Proximity Reader	Lifetime	
P-400	Gibraltar Proximity Reader	Lifetime	
P-500	Alps Proximity Reader	Lifetime	
P-640	Patagonia Piezo Keypad/Prox Reader	Lifetime	
P-700	Yukon Proximity Reader	Lifetime	
DELTA3	Multi-Technology Smartcard Reader/Mullion Mount	Lifetime	
DELTA5	Multi-Technology Smartcard Reader/Switch Plate	Lifetime	
DELTA6.4	Multi-Technology Smartcard Reader/Keypad	Lifetime	
<u>PYRAMID SERIES CARDS & TAGS (For PXL-500W and PXL-250W)</u>			
PSC-1	Standard Light Proximity Card	Lifetime	
PSI-4	Image Technology Proximity Card	Lifetime	
PSM-2P	Multi Technology Proximity Card	12	
PSM-2S	Multi Technology Proximity Card	12	
PSK-3	Proximity Key Ring Tag	Lifetime	
SMC-1	Mifare ISO 1K Smartcard	12	
SMC-4	Mifare ISO 4K Smartcard	12	
<u>PHOTO BADGING PRINTERS</u>			
Printer, Magicard Pronto NR		24	Defective Only
Pronto Printer Ribbon, Color NR		N/A	
Pronto Printer Cleaning Kit NR		N/A	
Printer, Magicard RIO2 NR		36	Defective Only
RIO2 Printer Ribbon Color NR		N/A	
RIO2 Printer Cleaning Kit NR		N/A	
Printer, Magicard Enduro NR		24	Defective Only
Enduro Printer Ribbon, Color NR		N/A	
Enduro Printer Cleaning Kit NR		N/A	
Printer, Magicard Tango2 NR		36	Defective Only
<u>ENTRAGUARD TELEPHONE ENTRY SYSTEMS</u>			
EGT-250	Entraguard Titanium, Standard Keypad (hands free, 250 unit capacity)	24	
ESP-750	Entraguard Silver, Standard Keypad (hands free, 750 unit capacity)	24	
EGP-5000HF	Entraguard Platinum, Standard Keypad (hands free, 5000 unit capacity)	24	
EGS-WUPW	Entraguard Walk-Up Package Wiegand Format	By Content	
EGS-WUPP	Entraguard Walk-Up Package MS Format	By Content	
<u>ACCESSORIES</u>			
EGT-PL	Titanium Postal Lock	12	
EGP-PL	Platinum/Silver Postal Lock	12	
EGH-12	Heater Kit for Entraguard Units	12	
EPS-58	Power Supply and Battery,	12	
RMK-65	Recess Mount Kit for Titanium	24	
FMK-95	Flush Mount Kit for Entraguard Platinum	24	
GNA-65	Pedestal Mount Adaptor for Titanium	24	
HSE-95	Hooded Enclosure for Entraguard Platinum	24	
<u>NO PHONE LINE (NPL) TELEPHONE ENTRY SYSTEMS</u>			
NPL11-MC	Master Controller	12	
NPLII-RC	Relay Card	12	
NPLII-EC	Expdander Cabinet	12	
NPLII-TB	RJ71C Telephone Blocks	12	
NPLII-CA	Relay Card Cable	12	
<u>ELEVATOR CONTROL</u>			
LC-502P	2 Floor Elevator Controller	24	
LC-508P	8 Floor Elevator Controller	24	
LC-502W	2 Floor Elevator Controller	24	
LC-508W	8 Floor Elevator Controller	24	
WAK-8	Wiegand Amplifier for LC-202W/502W	24	

		<u>Warranty</u> (in months)
<u>OTHER READER TECHNOLOGIES</u>		
SX-34	Essex Keypad Reader 3 x 4	24
BC-60	Bar Code Reader	12
<u>TRANSMITTER CARD SYSTEM</u>		
MS-1400	<i>Keri Key</i> , 2 Channel Receiver MS Output	12
TM-10	<i>Keri Key</i> , 1 Button Transmitter	12
TM-10MS	<i>Keri Key</i> , 1 Button Transmitter w/MS Insert	12
TM-10FW	<i>Keri Key</i> , 1 Button Transmitter w/Farpointe Insert	12
TM-40	<i>Keri Key</i> , 4 Button Transmitter	12
TM-40MS	<i>Keri Key</i> , 4 Button Transmitter w/MS Insert	12
TM-40FW	<i>Keri Key</i> , 4 Button Transmitter w/Farpointe Insert	12
WRR-42	<i>Ranger</i> , Receiver	12
WRT-1	<i>Ranger</i> , 1 Button Mini Transmitter	12
WRT-4	<i>Ranger</i> , 4 Button Transmitter	12
<u>LONG RANGE VEHICLE TAG SYSTEM</u>		
VT-10P	V-Track Package Keri Format	12
VT-10W	V-Track Package Wiegand Format	12
EX-10P	V-Track Exciter/Antenna for exit lane egress	12
LRT-10K	Vehicle Tags Keri Format	12
LRT-10W	Vehicle Tags Wiegand Format	12
<u>PERIPHERALS and ACCESSORIES</u>		
EXM-56C	Modem - External 56K Baud	12
KDP-552	Cable, PXL-500/IP-2000 to PC or modem	12
KPS-4	Power Supply	12
KPS-5	Power Supply	12
KPS-7	Power Supply	12
KPS-8	Battery	12
KPS-11	Power Supply	12
IRP-1	Isolation Kit	12
LCD-1	Alpha/Numeric Plug-In Display	12
<u>DEMONSTRATION EQUIPMENT</u>		
DC-550	PXL-500 Demo Suitcase	12
DC-NXT1	NetXtreme Demo Suitcase	12
<u>BADGING ACCESSORIES</u>		
Lanyard <u>NR</u>		N/A
Retractor (Yo-Yo) <u>NR</u>		N/A
Clip <u>NR</u>		N/A
Pouch - Vertical <u>NR</u>		N/A
Pouch - Horizontal <u>NR</u>		N/A

Keri Systems, Inc. Product Warranty Reference Document

Contact Keri Systems

Keri USA	Keri UK, Ireland, Europe
2305 Bering Drive San Jose, CA 95131	Unit 17 Park Farm Industrial Estate Ermine Street Buntingford Herts SG9 9AZ UK
Telephone: (800) 260-5265 (408) 435-8400	Telephone: + 44 (0) 870 444 7234
Fax: (408) 435-7163	Fax: + 44 (0) 1763 274 106
Web: www.kerisys.com	Web: www.kerisystems.co.uk
E-mail: sales@kerisys.com techsupport@kerisys.com	E-mail: sales@kerisystems.co.uk tech-support@kerisystems.co.uk

End of document.